

บริษัท เคมเวิร์ค จำกัด

CHEMWORK CO.,LTD.

638 ซอยสวนพลู 7 ถนนสาทรใต้ แขวงทุ่งมหาเมฆ เขตสาทร กรุงเทพฯ 10120

638 SOI SUANPLU 7 SOUTH SATHORN RD., TUNGMAHAMEK, SATHORN, BANGKOK

TEL: 0-2679-3915, 0-2679-3916 FAX: 0-2679-3917

:

SECTION 1: Identification

1.1. Identification

Product form : Substance

Substance name : Calcium Carbonate

CAS No : 471-34-1 Formula : CaCO3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : For laboratory and manufacturing use only.

Recommended use : Laboratory chemicals

Restrictions on use : Not for food, drug or household use

1.3. Details of the supplier of the safety data sheet

CHEMWORK CO.,LTD.

638 SOI SUANPLU 7 SOUTH SATHORN RD., TUNGMAHAMEK, SATHORN, BANGKOK

TEL: 0-2679-3915, 0-2679-3916

www.chemwork.co.th

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 or 011-703-527-3887

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture GHS-US classification

Skin corrosion/irritation Category 2 H315 Serious eye damage/eye

irritation Category 2B H320

Specific target organ toxicity (single exposure) Category 3 H335

Full text of H statements : see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H315 - Causes skin irritation

H320 - Causes eye irritation

H335 - May cause respiratory irritation

2.3. Other hazards

Precautionary statements (GHS-US) : P261 - Avoid breathing dust

> P264 - Wash exposed skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves, eye protection

P302+P352 - IF ON SKIN: Wash with plenty of soap and water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor/physician if you feel unwell P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to comply with local, state and federal regulations

If inhaled: Remove person to fresh air and keep comfortable for breathing

Other hazards not contributing to the : None under normal conditions. classification

2.4. Unknown acute toxicity (GHS US) Not

applicable

SECTION 3: Composition/Information on ingredients

3.1. **Substances**

: Mono-constituent Substance type

Name	Product identifier	%	GHS-US classification
Calcium Carbonate (Main constituent)	(CAS No) 471-34-1	100	Skin Irrit. 2, H315 Eye Irrit. 2B, H320
			STOT SE 3, H335

Full text of hazard classes and H-statements: see section 16

3.2. **Mixtures**

Not applicable

SECTION 4: First aid measures

4.1. **Description of first aid measures**

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation

occurs: Get medical advice/attention.

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present First-aid measures after eye contact

and easy to do. Continue rinsing.

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. First-aid measures after ingestion

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation. Symptoms/injuries after eye

contact : Causes eye irritation.

Obtain medical assistance.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand. Unsuitable extinguishing media

: Do not use a heavy water stream.

Fire hazard : Not flammable.

Reactivity : Upon combustion: CO and CO2 are formed. Violent to explosive reaction with (some) acids.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. Gloves. Dust mask. Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods for cleaning up: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapor. Avoid breathing dust. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash exposed skin thoroughly after handling.

Storage conditions : Keep container tightly closed.

Incompatible products : Strong oxidizers. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Calcium Carbonate (471-34-1)		
OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³
NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m³

8.2.

Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate

vicinity of any potential exposure. Ensure good ventilation of the work station.

Personal protective equipment : Safety glasses. Gloves. Dust formation: dust mask.



Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Dust formation: dust mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : White powder or lumps.

Color : white

Odor : None.

Odor threshold : No data available pH : No

data available

Melting point : 825 °C

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : Non flammable.

Vapor pressure : No data available

Relative vapor density at 20 °C : No data available

Relative density : No data available

Specific gravity / density : 2.93 g/cm³ Molecular mass : 100.09 g/mol

Solubility : Water: 0.00153 g/100ml

Log Pow : No data available

Auto-ignition temperature : No data available

Decomposition temperature : 825 °C

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosion limits : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed. Violent to explosive reaction with (some) acids.

10.2.

Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts violently with acids.

10.4.

Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong oxidizers.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure : Inhalation; Skin and eye contact

Acute toxicity : Not classified

Calcium Carbonate (471-34-1)	
LD50 oral rat	6450 mg/kg
ATE US (oral)	6450.000 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes eye irritation.
Respiratory or skin sensitization : Not classified

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : May cause respiratory irritation.

Specific target organ toxicity - repeated

exposure

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation.
Symptoms/injuries after eye contact : Causes eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

Calcium Carbonate (471-34-1) Persistence and degradability Not established.

12.3. Bioaccumulative potential

Calcium Carbonate (471-34-1)	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1.

Waste treatment methods

Waste disposal recommendations: Dispose in a safe manner in accordance with local/national regulations. Ecology - waste

materials: Avoid release to the environment.

In accordance with DOT Not

regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

Calcium Carbonate (471-34-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

ANADA	
Calcium Carbonate (471-34-1)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects

EU-Regulations

No additional information available

National regulations

Calcium Carbonate (471-34-1)

Not listed on the Canadian IDL (Ingredient Disclosure List)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Revision date : 12/29/2016 Other information : None.

Full text of H-phrases: see section 16:

•	
H315	Causes skin irritation
H320	Causes eye irritation
H335	May cause respiratory irritation

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause

significant irritation.


NFPA fire hazard : 0 - Materials that will not burn under typical dire conditions,

including intrinsically noncombustible materials such as

concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : E

E - Safety glasses, Gloves, Dust respirator

SDS US Chemwork Co.,Ltd.

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and Chemwork Co., Ltd. assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.